



The Focus® II Large walk-behind autoscrubber® has the right combination of capacity, cleaning path, runtime, and rugged durability desired by contractors, rental companies and industrial facilities.

With 30 gallons (114 L) of solution capacity and a 34 inch (86 cm) scrub path you will be able to tackle the largest jobs quickly and efficiently. The 36 Volt power plant means longer run times for cleaning large areas, and it delivers the heavy-duty scrubbing performance often needed. Up to 250 lb (113 kg) of down pressure delivers deep and thorough one pass cleaning.

The Focus II Large is designed to meet the daily challenges of building service contractors and rental organizations. Simple on/off palm switches and intuitive, easy-to-use controls make for minimal operator training. An easy to care for design and rugged machine components ensure maximum uptime for better reliability.

Focus® II Large Walk-Behind Autoscrubber®

- Contractor grade design
- Lower cost of ownership
- Simple to use and operate
- Long run time
- Heavy scrub pressure
- Large capacity



The Focus® II Large features a large tank capacity and scrub path, along with long run time options.

Trusted. Reliable. Efficient.

A Nilfisk-Advance Brand

Clarke®

Nilfisk
ALTO
works for you

The large capacity and high performance autoscrubber® for the tough jobs

Maximize your cleaning productivity and efficiency with the Focus II Large autoscrubber.

- Large 34 inch (86 cm) scrub path
- 30 gallon (114 L) tank capacity
- Low flow rate for high productivity per tankful
- Scrub up to 3 MPH
- Three scrub pressures up to 250 lb (113 kg)
- 36 V power
- High capacity 310 Ah battery option with four plus hours of use
- Manuverable in tighter areas



Low brush deck height is extended to allow close edge cleaning and reduce costly secondary operations.



Simple on/off palm switches and minimalistic controls with One-Touch™ scrubbing make the machine easy to use with quick training.

Focus® II Large has the productive features that lower your overall cost to clean



High productivity per tankful

The Clarke Focus II Large features a 30 gallon (114 L) solution tank with a 0.30 gpm flow rate providing 100 minutes of continuous scrubbing between dump and refills.



Deep scrubbing performance

Equipped with a 600 lb actuator, ¾ hp motors and large non-marking turf type tires, the Focus II Large is capable of cleaning the most demanding soil loads, deep scrubbing and stripping quickly and efficiently.



Batteries

Choose economical wet batteries or maintenance-free AGM batteries.

SPECIFICATIONS	Focus II Large
Part Number	See price catalog for part numbers
Scrub Head Type	Disc
Scrub Path	34 in (86 cm)
Max Productivity @ 3 mph	44,880 ft ² /hr (4,170 m ² /hr)
Max Productivity @ 1.5 mph	22,440 ft ² /hr (2,085 m ² /hr)
Brush Size	(2) 17 in (43 cm)
Scrub Pressure	
Regular Scrub	max 90 lb (41 kg)
Heavy Scrub	max 175 lb (79 kg)
Extreme Scrub	max 250 lb (113 kg)
Brush Speed	220 rpm
Solution Flow Rate	
Regular Scrub	0.30 gal/min (1.1 L/min) or 100 minutes per solution tank
Heavy Scrub	0.60 gal/min (2.3 L/min) or 50 minutes per solution tank
Extreme Scrub	0.90 gal/min (3.4 L/min) or 33 minutes per solution tank
Squeegee Width	41.9 in (106 cm)
Dimensions (w/o squeegee)	W = 30.5 in (77cm) L = 61.5 in (156 cm) H = 45 in (114 cm)
Voltage	36 V
Power Source	(6) 6 V batteries (wet acid or AGM)
Available Chargers	36 V, 20 amp free standing or 36 V, 21 amp onboard charger
Solution Control	Pulse control gravity feed
Solution Tank	30 gal (114 L)
Recovery Tank	30 gal (114 L)
Scrub Motors	(2) 0.75 hp (560 W)
Vacuum Motor	0.75 hp (560 W) 3-stage
Sound Level	69 dB A
Drive System	0.5 hp (375 W) variable forward and reverse, max speed = 3 mph (4.83 km/hr)
Gradeability	16% transport, 5% scrubbing
Drive Wheels	(2) 13 in (33 cm) dia. foam-filled, non-marking

Specifications are subject to change without notice.

What enhances its productivity? What does it do best?

- Large solution and recovery tanks
- Long run time battery capacity
- High productivity per tankful
- Highly maneuverable with excellent sight lines
- Fast routine scrubbing
- Deep and double scrubbing
- Leaves the floor dry to reduce slip/fall hazards
- Transports easily

What are the safety features?

- Bristle skirt prevents splashing
- High traction tires for less slipping
- Onboard charger safety interlock
- Key switch prevents unauthorized use

Nilfisk
ALTO
works for you



PowerVac
CLEANING EQUIPMENT & SERVICE
www.powervac.biz

PO Box 505, Mt Hawthorn, Western Australia, 6915
Cnr Scarborough Beach Rd & Main St
Osborne Park, Western Australia, 6017

P ++61 8 9242 4751 **F** ++61 8 9242 4752
E info@powervac.biz **ABN** 51 009 277 356