

PO Box 1031, Osborne Park DC, Western Australia, 6916 Cnr Hutton & Howe St, Osborne Park, Western Australia 6017

P ++61 8 9242 4751 E info@powervac.com.au F ++61 8 9242 4752 ABN 51 009 277 356





Spray-extraction machine for deep and interim cleaning of medium-large carpeted areas





- 1 Floating brush head with contra-rotating roller brushes
- Two roller brushes for high cleaning performance.
- Simultaneously cleans deep into the pile from two sides.
- 2 Working direction, forwards or backwards
- Working direction adjustable to carpet.
- Cleaning direction selectable by folding push handle.

Technical Data and Equipment.





BRC 45/45 C

- For medium-sized, clear areas
- Working direction forwards or backwards
- Two contra-rotating roller brushes with constant contact pressu-

Technical data		
Order No.		1.008-056.0
EAN code		4039784497986
Area performance (Deep cleaning/ interim cleaning "iCapsol")	m²/h	350 / 1000
Air flow rate	l/s	45
Vacuum	mbar / kPa	300 / 30
Spray pressure, interim cleaning	bar	3,5
Spray pressure, deep cleaning	bar	7
Spray rate, deep cleaning	l/min	3,2
Working width, brush	mm	410
Working width, vacuum	mm	450
Fresh / waste water tank	1	45 / 38
Power rating fan	W	1100
Power rating brush	W	600
Weight	kg	48
Dimensions (L x W x H)	mm	770 × 545 × 1250
Fauinment		

Direction of operation Forward or backwards iCapsol mode piece(s) 2 No. of rollers

■ Included in delivery.



PO Box 1031, Osborne Park DC, Western Australia, 6916 Cnr Hutton & Howe St, Osborne Park, Western Australia 6017

Accessories for BRC 45/45 C 1.008-056.0













		T		T	ı		ı		_
		O de Ne	0 11		14.F. 141.	1		Books and	
		Order No.	Quantity	ID	Width	Length	Price	Description	L
Roller brushes									
Roller brush	1	8.621-605.0	1 piece(s)		450 mm			Standard, black, 2 required.	
	2	8.629-552.0	1 piece(s)		450 mm			Soft, 2 required. For hard carpets such as needle felt or short loop-pile carpets.	
Other accessories									
Adapter	3	8.631-030.0	1 piece(s)					For floor tool 4.130-061.0 and hand tool 4.130-163.0	
Hand tools									
Hand tool ID 38, 110 mm	4	4.130-163.0	1 piece(s)	38	110 mm			Stainless steel with transparent nozzle, DN 38. For cleaning upholstery or small areas that are hard to reach with the floor tool. (A water flow reducer 3.637-029.0 is recommended for the Puzzi 400/E).	
Spray-extraction hoses									
Spray extraction hose ID 38, 4 m	5	4.440-644.0	1 piece(s)	38	4 m			Complete, metal coupling.	

[■] Included in delivery.

Available accessories.



PO Box 1031, Osborne Park DC, Western Australia, 6916 Cnr Hutton & Howe St, Osborne Park, Western Australia 6017