PowerVac
CLEANING EQUIPMENT & SERVICE
www.powervac.com.au

PO Box 1031, Osborne Park DC, Western Australia, 6916
Cnr Hutton & Howe St, Osborne Park, Western Australia 6017

P ++61 8 9242 4751 F ++61 8 9242 4752
E info@powervac.com.au ABN 51 009 277 356

O-UAC® 6

Modern vacuuming at its best



INQUIRE. INNOVATE. INSPIRE

PowerVac
CLEANING EQUIPMENT & SERVICE



We trust **our family**

The vac 6 is the cornerstone of the modern day vacuum cleaner. All of the vac 6 functions and elements were created and designed with the feedback from users, and their ideas and insights that come from working different machines years on end.

PowerVac
CLEANING EQUIPMENT & SERVICE

Key features

Resilient body

Non-breakable material and all attachments are assembled with screws, instead of rivets. Parking position for safe working on stairs. The wheels are made of shock absorbing materials.





Whizzo

Patented Whizzo indicator. It makes a loud high tone when the bag is full or the vacuum is clogged. Additionally, it supplies the motor with cooling air to avoid temperature peaks.

Office time cleaning

Choose between the high power or low decibel settings. Low power can be a real lifesaver for operational daytime cleaning in busy offices.



Floor tool

Flat nose tool without the need to adjust on different surfaces. Due to a very low profile, it can even reach underneath certain difficult areas. The flexible nylon material of the handle makes it robust and sturdy for the contract cleaning industry, especially combined with the detachable cable.



Fragrance cassette

Install a simple fragrance cassette inside the unit for a soothing, distinctive scent that fills the room with a pleasant aroma.





The perfect **cleaning tools**

With the use of an vac 6 you make the most of every cleaning session. The vac 6 has a wide range of vacuum attachments, for different floor types, the hard to reach nooks and upholstery cleaning.

Technical specifications

Carry weight	6.8 kg
Weight with cable	7.8 kg
Net weight incl. packaging	10.8
Size body (l x w x h)	39 x 38 x 36 cm
Hose length	250 cm
Cable length	1500 cm
Capacity	6 L
Diameter of tools	32 mm
Voltage	110 V, 115 V, 230 V, 240 V
Motor power	850 W
Sound level	62 dBA | 58 dBA
Water lift/suction	2200 mm
Air flow	50 L/sec | 52 L/sec
Wet/dry	Dry
Detachable cord	Yes
Material machine	PP

The filtration on this machine is upgradeable from standard, to HEPA, to ULPA.

24 MONTH 24 WARRANTY

V1

PowerVac
CLEANING EQUIPMENT & SERVICE
www.powervac.com.au

PO Box 1031, Osborne Park DC, Western Australia, 6916
Cnr Hutton & Howe St, Osborne Park, Western Australia 6017

P ++61 8 9242 4751 F ++61 8 9242 4752
E info@powervac.com.au ABN 51 009 277 356